

# Languages and Patterns

---

Mark Hopkins

September 2021, **fp-syd**

@antiseifdual

antiseifdual.com

# Learning languages

---



- Abstract grammatical model
- Generate sentences
- Pass to English grammar model  $\Rightarrow$  test
- Pass to German grammar model  $\Rightarrow$  check

**Demo**

---

**Turkish**

---

Turkish ● 80 million native speakers

Turkic ● over 35 languages  
● 170 million native speakers

# Turkish grammar

- no articles
- no grammatical gender
- incredibly regular
- agglutinative
- vowel harmony
- evidentiality
- interesting history

Türkçe konuşabiliyorum.

Bambaşka

Çarşamba

Kırmızılı kız kızgın.

Şoförün tedbirlisi herkesin sevgilisi.

- Enayisin.

- Niçin enayiyim? / Niçin enayi imişim?


# Agglutinative

---

Avrupa	Europe
Avrupalı	European
Avrupalılař	Europeanise (intr.)
Avrupalılařtır	Europeanise (tr.)
Avrupalılařtırama	be unable to Europeanise
Avrupalılařtıramadık	one unable to be Europeanised
Avrupalılařtıramadıklar	those unable to be Europeanised
Avrupalılařtıramadıklarımız	those who we could not Europeanise
Avrupalılařtıramadıklarımızdan	of those who we could not Europeanise
Avrupalılařtıramadıklarımızdanmıř	(reportedly) of we could not Europeanise
Avrupalılařtıramadıklarımızdanmıřsınız	you are (reportedly) of those we could not Europeanise
Avrupalılařtıramadıklarımızdanmıřsınızcasına	as if you were of those we could not Europeanise

---

# Vowels



**Table 1:** Turkish vowels

---

	<b>Front</b>		<b>Back</b>	
	<b>Unrounded</b>	<b>Rounded</b>	<b>Unrounded</b>	<b>Rounded</b>
<b>High</b>	i /i/	ü /y/	ı /ɯ/	u /u/
<b>Low</b>	e /e/	ö /œ/	a /a/	o /o/

---

**Table 2:** Examples of case endings

	<i>house</i>	<i>idea</i>	<i>sky</i>	<i>book</i>	<i>ball</i>
Abs	ev	fikir	gök	kitap	top
Def. obj.	evi	fikri	gökü	kitabı	topu
Gen.	evin	fikrin	gökün	kitabın	topun
Dat.	eve	fikre	göke	kitaba	topa
Loc.	evde	fikirde	gökte	kitapta	topta
Abl.	evden	fikirden	gökten	kitaptan	toptan

**Table 3:** Summary of case endings

Last vowel of absolute	e or i	ö or ü	a or ı	o or u
Definite objective	-(y)i	-(y)ü	-(y)ı	-(y)u
Genitive <i>of</i>	-(n)in	-(n)ün	-(n)ın	-(n)un
Dative <i>to, for</i>	-(y)e		-(y)a	
Locative <i>in, on, at</i>	-de		-da	
Ablative <i>from, out of</i>	-den		-dan	

**Table 4:** Summary of case endings

Last vowel of absolute	<b>F and U</b>	<b>F and R</b>	<b>B and U</b>	<b>B and R</b>
Definite objective	<b>-(y)i</b>	<b>-(y)ü</b>	<b>-(y)ı</b>	<b>-(y)u</b>
Genitive <i>of</i>	<b>-(n)in</b>	<b>-(n)ün</b>	<b>-(n)ın</b>	<b>-(n)un</b>
Dative <i>to, for</i>		<b>-(y)e</b>		<b>-(y)a</b>
Locative <i>in, on, at</i>		<b>-de</b>		<b>-da</b>
Ablative <i>from, out of</i>		<b>-den</b>		<b>-dan</b>

```
declineObj :: String -> String
declineObj n = case lastVowel n of
  v | backness v == Front &&
      rounding v == Unrounded -> append n "y" "i"
  v | backness v == Front &&
      rounding v == Rounded   -> append n "y" "ü"
  v | backness v == Back &&
      rounding v == Unrounded -> append n "y" "ɪ"
  v | backness v == Back &&
      rounding v == Rounded   -> append n "y" "u"
```

```
declineObj :: String -> String
declineObj n = case (backness &&& rounding) (lastVowel n) of
  (Front, Unrounded) -> append n "y" "i"
  (Front, Rounded)    -> append n "y" "ü"
  (Back, Unrounded)   -> append n "y" "ɪ"
  (Back, Rounded)     -> append n "y" "u"
```

```
pattern FrontVowel :: Vowel
pattern FrontVowel <- (backness -> Front)

pattern BackVowel :: Vowel
pattern BackVowel <- (backness -> Back)

pattern UnroundedVowel :: Vowel
pattern UnroundedVowel <- (rounding -> Unrounded)

pattern RoundedVowel :: Vowel
pattern RoundedVowel <- (rounding -> Rounded)
```

```
declineObj :: String -> String
declineObj n = case dup (lastVowel n) of
  (FrontVowel, UnroundedVowel) -> append n "y" "i"
  (FrontVowel, RoundedVowel)   -> append n "y" "ü"
  (BackVowel, UnroundedVowel)  -> append n "y" "ɪ"
  (BackVowel, RoundedVowel)    -> append n "y" "u"
```

```
declineObj :: String -> String
declineObj n = case lastVowel n of
  (dup -> (FrontV, UnroundedV)) -> append n "y" "i"
  (dup -> (FrontV, RoundedV))    -> append n "y" "ü"
  (dup -> (BackV, UnroundedV))  -> append n "y" "ɪ"
  (dup -> (BackV, RoundedV))    -> append n "y" "u"
```

```
pattern (:&:) :: a -> a -> a
pattern (:&:) a b <- (dup -> (a,b))
```

Thank you Arnold deVos!

```
declineObj :: String -> String
declineObj n = case lastVowel n of
  FrontVowel :&: UnroundedVowel -> append n "y" "i"
  FrontVowel :&: RoundedVowel   -> append n "y" "ü"
  BackVowel   :&: UnroundedVowel -> append n "y" "ɪ"
  BackVowel   :&: RoundedVowel   -> append n "y" "u"
```

```

{-# LANGUAGE LambdaCase      #-}
{-# LANGUAGE PatternSynonyms #-}
{-# LANGUAGE ViewPatterns    #-}

module AndPatterns where

pattern DivBy3 :: Integral i => i
pattern DivBy3 <- ((`mod` 3) -> 0)

pattern DivBy5 :: Integral i => i
pattern DivBy5 <- ((`mod` 5) -> 0)

pattern DivBy7 :: Integral i => i
pattern DivBy7 <- ((`mod` 7) -> 0)

pattern (:&:) :: a -> a -> a
pattern (:&:) i j <- (\x -> (x,x) -> (i,j))

fizzbuzzBop :: Int -> String
fizzbuzzBop = \case
  DivBy3 :&: DivBy5 :&: DivBy7 -> "fizzbuzzbop"
  DivBy3 :&: DivBy5           -> "fizzbuzz"
  DivBy3 :&: DivBy7           -> "fizzbop"
  DivBy5 :&: DivBy7           -> "buzzbop"
  DivBy3                     -> "fizz"
  DivBy5                     -> "buzz"
  DivBy7                     -> "bop"
  i                           -> show i

```

**Please Sir, I want some ors**

---

```
declineObj :: String -> String
declineObj n = case lastVowel n of
  Ve -> append n "y" "i"
  Vi -> append n "y" "i"
  Vö -> append n "y" "ü"
  Vü -> append n "y" "ü"
  Va -> append n "y" "ı"
  Vı -> append n "y" "ı"
  Vo -> append n "y" "u"
  Vu -> append n "y" "u"
```

```
declineObj :: String -> String
declineObj n = case lastVowel n of
  v | v == Ve || v == Vi -> append n "y" "i"
  v | v == Vö || v == Vü -> append n "y" "ü"
  v | v == Va || v == Vı -> append n "y" "ı"
  v | v == Vo || v == Vu -> append n "y" "u"
```

```
declineObj :: String -> String
declineObj n = case lastVowel n of
  Ve | Vi -> append n "y" "i"
  Vö | Vü -> append n "y" "ü"
  Va | Vı -> append n "y" "ı"
  Vo | Vu -> append n "y" "u"
```

```
declineObj :: String -> String
declineObj n = case lastVowel n of
  [o| Ve | Vi |] -> append n "y" "i"
  [o| Vö | Vü |] -> append n "y" "ü"
  [o| Va | V1 |] -> append n "y" "1"
  [o| Vo | Vu |] -> append n "y" "u"
```

## **The case for And and Or patterns**

---

**Demo**

---